The listing of claims will replace all prior versions, and listings, of claims in the application: Listing of Claims:

1. (Currently Amended) Mobile antenna system comprising rotary part by azimuth, which is

- an electronically steered in elevation phased array antenna, comprising:

 a plurality of (multi)layered structures, placed at certain levels, said structures includeing microstrip antenna elements (12),and feeding lines (20), which properly for combine ing and guideing a received signal the electromagnetic energy, forming the necessary phase and amplitude distribution over the antenna elements, a plurality of electronic modules (28) providing amplification, phase change, frequency conversion configured to amplify, phase modify, frequency convert and steering route of the received signal, power supply and control circuits for the same electronic modules;
- a plurality of vertical transitions (13), providing the configured to passing of the electromagnetic energy between the layered structures from different levels;

frequency converting device and rotary joint (18), including a rotatable part and a static part for passing the received signal, the power supply and control circuits to the static part and rotating at least a portion of the mobile antenna system;

sensors detecting the spatial movement of the system, and power supply and control units; static part, comprising bottom (10), cover (2) with radiotransparent part (1), mechanical supports, motor (11), gear, plurality of electronic modules (19,6,7);

- 2. (Currently Amended) Mobile antenna system according to claim 1, featuring including a first layered structure (3), forming the first level, which comprises the microstrip antenna elements (12).
- 3. (Currently Amended) Mobile antenna system according to claim 2, characterized

by including microstrip antenna elements (12) placed in a cavity (21).

- 4. (Currently Amended) Mobile antenna system according to claim1, 2 or 3, characterized by including microstrip antenna elements which are dual-port.
- 5. (Currently Amended) Mobile antenna system according to one of claims 1-to 4, characterized by including microstrip antenna elements (12) which are probe fed (22).
- 6. (Currently Amended) Mobile antenna system according to claim 5, characterized by including microstrip antenna elements (12), which are capacitive probe fed (22,27).
- 7. (Currently Amended) Mobile antenna system according to one of claims from 1 to 4, characterized by including microstrip antenna elements (12) fed through a slot (26).
- 8. (Currently Amended) Mobile antenna system according to claim 1, eharacterized by including microstrip antenna elements (12) which are tilted to thean observation angle.
- 9. (Currently Amended) Mobile antenna system according to claim 1, eharacterized by including microstrip antenna elements (12) covered with dielectric layer, which could can act as impedance matching for low elevation tracking.
- 10. (Currently Amended) Mobile antenna system according to claim 9, eharacterized by including a dielectric layer carrying the antenna elements (12).

- 11. (Currently Amended) Mobile antenna system according to claim 1, characterized by including microstrip antenna elements (12)-placed in a lattice formed from the peaks of isosceles triangles (29).
- 12. (Currently Amended) Mobile antenna system according to claim 1, characterized by including controls for electronic tracking which is in one plane perpendicular to the rows (30)-formed by one of the sides of the triangles (29), which form the forming a lattice.
- 13. (Currently Amended) Mobile antenna system according to claim 12, characterized by including antenna elements placed in the rows, perpendicular to the an electronic tracking plane, which (elements) are placed at about an optimal distance regarding the effective utilization of the an antenna aperture and feeding lines density (20).
- 14. (Currently Amended) Mobile antenna system according to claim 1, characterized by including microstrip antenna elements (12) which are placed apart at certain places of the array in order to place in conjunction with mechanical supports (14) there.
- 15. (Currently Amended) Mobile antenna system according to claim 1, eharacterized by including a first layered structure (3) comprising having feeding lines (20), which feed for sequentially feeding several antenna elements (12) each from one and the same row.
- 16. (Currently Amended) Mobile antenna system according to claim 1, eharacterized by including a first layered structure (3) containing feeding lines (20), which feeding in sequence and in parallel several antenna elements (12) each from one and the same row.

- 17. (Currently Amended) Mobile antenna system according to claim 1, characterized by including a first layered structure (3) comprising feeding lines (20), which feed in sequence and in parallel several antenna elements (12) from neighbouring rows providing about a constant phase difference between them.
- 18. (Currently Amended) Mobile antenna system according to claim 1, characterized by including levels which are formed by more than one similar layered structures (3,15), so as to form a plurality of united leveled modules (25), which are united from the lower levels.
- 19. (Currently Amended) Mobile antenna system according to claim 18, characterized by including leveled modules, which could be tilted may be tiltable to the direction of observation.
- 20. (Currently Amended) Mobile antenna system according to claim 1, characterized by including a first layered structure (3) which is formed by vertically placed layers (31).
- 21. (Currently Amended) Mobile antenna system according to claim 1, characterized by including a first layered structure (3), which contains having a low noise amplifiers (28).
- 22. (Currently Amended) Mobile antenna system according to claim 21, characterized by including next layered structures (15, 5) which contain having feeding-lines (20), combining the groups from the a first level and from one and the same row in parallel.

- 23. (Currently Amended) Mobile antenna system according to claim 22, characterized by wherein the next layered structures (15, 5) also containing amplifiers (28).
- 24. (Currently Amended) Mobile antenna system according to claim 23, characterized by last including a final layered structure (5) containing phase control devices.
- 25. (Currently Amended) Mobile antenna system according to claim 24, characterized by lastincluding final layered structure (5) which also contains having amplitude control devices.
- 26. (Currently Amended) Mobile antenna system according to claim 24, characterized by phase control devices which are having integrated circuits configured as phase control devices.
- 27. (Currently Amended) Mobile antenna system according to claim 24, characterized by phase control devices which are build from including discrete components configured as phase control devices.
- 28. (Currently Amended) Mobile antenna system according to claim 1, characterized by last including a final layered structure (5) that contains containing feed lines (20), forming circuit, which combines parts from the combining different rows.
- 29. (Currently Amended) Mobile antenna system according to claim 241, characterized by last having a final layered structure (5) which contains plurality of digital control units for steering of controlling amplitude (28) and phase control units.

- 30. (Currently Amended) Mobile antenna system according to claim 1, eharacterized by having feed lines (20)-in the layered structures (3,5,15) which are in fact-formed from microstrip lines.
- 31. (Currently Amended) Mobile antenna system according to claim 1, eharacterized by parthaving a portion of the feed lines (20) in the layered structures (3,5,15) which are formed from strip lines.
- 32. (Currently Amended) Mobile antenna system according to claim 1, of which it is characteric that having at least some of the layered structures (3,5,15) are being multilayer printed circuit boards.
- 33. (Currently Amended) Mobile antenna system according to claim 1, of which it is characteric that having at least some of the layered structures (3,5,15) are fulfilled as equal being modules containing one or more levels, united coupled from the next level of layered structure.
- 34. (Currently Amended) Mobile antenna system according to claim 1, characterized by the including a connection between the feed lines (20) from the separated levels (3, 5, 15) is provided by a plurality of vertical RF transitions (13).
- 35. (Currently Amended) Mobile antenna system according to claim 34, characterized by including vertical RF transitions (13)-which are <u>surface mount</u> coaxial elements, capable of

Attorney Docket No. 006681.00010

surface mounting.

- 36. (Currently Amended) Mobile antenna system according to claim 34, characterized by including vertical RF transitions (13) which are formed from surface mount stripline elements, capable of surface mounting.
- 37. (Currently Amended) Mobile antenna system according to claim 34, 35 or 36, characterized by having vertical RF transitions (13) which have which also form supporting mechanical functions structures.
- 38. (Currently Amended) Mobile antenna system according to claim 1, of which it is characteric that having one side of the layered structures (5, 15) is covered with electromagnetic absorptive a coating configured to absorb electromagnetic energy.
- 39. (Currently Amended) Mobile antenna system according to claim 1, of which it is characteric that the having RF outputs from the layered structure (5) of the last level are connected through coaxial cables to a separate combiner.
- 40. (Currently Amended) Mobile antenna system according to claim 39, of which it is characteristic that the output of the said wherein the combiner is connected with the input of the a frequency converter.
- 41. (Currently Amended) Mobile antenna system according to claim 1, characterized by leveled structure covered with cover (16), which cover is an electromagnetic shieldhaving an

electromagnetic shield covering portions of the layered structures.

- 42. (Currently Amended) Mobile antenna system according to claim 41, of which it is characterized by that the cover (16) where the electromagnetic shield has an electromagnetic absorptive coating from on the inner side.
- 43. (Currently Amended) Mobile antenna system according to claim 41 или 42, of which it is characterized by that the cover (16) has supporting and wherein electromagnetic shield is structurally configured to perform carrying functions.
- 44. (Currently Amended) Mobile antenna system according to claim 41, of which it is characterized by that wherein the cover (16) is mounted to the static part through rotary joint (18).
- 45. (Currently Amended) Mobile antenna system according to claim 41, of which it is characterized by that the cover (16) comprises mounted from beneath gear (9), passing the wherein the electromagnetic shield rotated with movement from the a motor (11).
- 46. (Currently Amended) Mobile antenna system according to claim 45, of which it is characterized by that the said wherein the electromagnetic shield rotates in response to movement of a gear (9) is made as crown, around configured at the periphery of the cover (16) of the rotary partelectromagnetic shield.
- 47. (Currently Amended) Mobile antenna system according to claim 1, of which it is

eharacterized by that the driving is provided from wherein rotation is provided using a belt gear-(8).

- 48. (Currently Amended) Mobile antenna system according to claim 41, of which it is characteristic that the cover (2) including a cover of the antenna system has ving a radiotransparent part (1).
- 49. (Currently Amended) Mobile antenna system according to claim 48, of which it is characterized by that wherein the radiotransparent part (1) has impedance matching properties for lower elevation tracking.
- 50. (Currently Amended) Mobile antenna system according to claim 1, of which it is characterized by that the system has having a satellite signals reading and recognition unit (19).